

Product datasheet for TA330543

PAX3 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: The immunogen for anti-PAX3 antibody: synthetic peptide directed towards the N terminal of

human PAX3. Synthetic peptide located within the following region: DRNTVPSVSSISRILRSKFGKGEEEEADLERKEAEESEKKAKHSIDGILS

Formulation: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2%

sucrose.

Note that this product is shipped as lyophilized powder to China customers.

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 53 kDa

Gene Name: paired box 3

Database Link: NP 852123

Entrez Gene 18505 MouseEntrez Gene 5077 Human

P23760



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

PAX3 is a member of the paired box (PAX) family of transcription factors. Members of the PAX family typically contain a paired box domain and a paired-type homeodomain. These genes play critical roles during fetal development. Mutations in paired box gene 3 are associated with Waardenburg syndrome, craniofacial-deafness-hand syndrome, and alveolar rhabdomyosarcoma. The translocation t(2;13)(q35;q14), which represents a fusion between PAX3 and the forkhead gene, is a frequent finding in alveolar rhabdomyosarcoma. This gene is a member of the paired box (PAX) family of transcription factors. Members of the PAX family typically contain a paired box domain and a paired-type homeodomain. These genes play critical roles during fetal development. Mutations in paired box gene 3 are associated with Waardenburg syndrome, craniofacial-deafness-hand syndrome, and alveolar rhabdomyosarcoma. The translocation t(2;13)(q35;q14), which represents a fusion between PAX3 and the forkhead gene, is a frequent finding in alveolar rhabdomyosarcoma. Alternative splicing results in transcripts encoding isoforms with different C-termini. This gene is a member of the paired box (PAX) family of transcription factors. Members of the PAX family typically contain a paired box domain and a paired-type homeodomain. These genes play critical roles during fetal development. Mutations in paired box gene 3 are associated with Waardenburg syndrome, craniofacial-deafness-hand syndrome, and alveolar rhabdomyosarcoma. The translocation t(2;13)(q35;q14), which represents a fusion between PAX3 and the forkhead gene, is a frequent finding in alveolar rhabdomyosarcoma. Alternative splicing results in transcripts encoding isoforms with different C-termini.

Synonyms: CDHS; HUP2; WS1; WS3

Note: Dog: 100%; Pig: 100%; Rat: 100%; Horse: 100%; Human: 100%; Mouse: 100%; Bovine: 100%;


Rabbit: 100%; Guinea pig: 100%; Yeast: 83%

Protein Families: Adult stem cells, Druggable Genome, Embryonic stem cells, ES Cell Differentiation/IPS,

Transcription Factors

Product images:





See Immunoblot 2 Data and Customer Feedback for more Information

Lanes: ; Lane 1: 20ug RH30 lysate; Lane 2: 20ug RH30 lysate; Lane 3: 20ug RH41 lysate; Lane 4: 20ug RH41 lysate; Primary Antibody Dilution:; 1:1000; Secondary Antibody: ; Donkey anti-rabbit HRP; Secondary Antibody Dilution: ; 1:4000; Gene

Name: ; PAX3; Submi





WB Suggested Anti-PAX3 Antibody Titration: 0.2-1 ug/ml; Positive Control: Hela cell lysate