

Product datasheet for **TA331681**

PML Protein (PML) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB, IHC
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	The immunogen for Anti-PML Antibody: synthetic peptide directed towards the C terminal of human PML. Synthetic peptide located within the following region: EGPSTLRVLDENLADPQAEDRPLVFFDLKIDNETQKISQLAAVNRESKFR
Formulation:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose. <i>Note that this product is shipped as lyophilized powder to China customers.</i>
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	59 kDa
Gene Name:	promyelocytic leukemia
Database Link:	NP_150242 Entrez Gene 5371 Human P29590
Background:	PML is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. PML localizes to nuclear bodies where it functions as a transcription factor and tumor suppressor. Its expression is cell-cycle related and it regulates the p53 response to oncogenic signals. The gene is often involved in the translocation with the retinoic acid receptor alpha gene associated with acute promyelocytic leukemia (APL). Extensive alternative splicing of this gene results in several variations of the protein's central and C-terminal regions; all variants encode the same N-terminus.



[View online »](#)


Synonyms: MYL; PP8675; RNF71; TRIM19

Note: Immunogen sequence homology: Rat: 100%; Human: 100%; Mouse: 100%; Bovine: 100%; Dog: 92%; Pig: 92%; Rabbit: 92%; Horse: 85%; Guinea pig: 85%

Protein Families: Druggable Genome, Transcription Factors


Protein Pathways: Acute myeloid leukemia, Pathways in cancer, Ubiquitin mediated proteolysis

Product images:




WB Suggested Anti-PML Antibody Titration: 1 ug/ml; Positive Control: HeLa cell lysate

PML



Rabbit Anti-PML
Sample Type: Human Adult Placenta
Antibody Concentration: 1ug/mL

Host: Rabbit; Target Name: PML; Sample Tissue: Human Adult Placenta; Antibody Dilution: 1.0ug/ml



Immunohistochemistry with Spleen cell lysate tissue at an antibody concentration of 5.0ug/ml using anti-PML antibody