

Product datasheet for TA332478

Tapasin (TAPBP) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ICC/IF, IHC, WB

Recommended Dilution: WB 1:500 - 1:2000;IF 1:10 - 1:100

Reactivity: Mouse, Human, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant protein of human TAPBP

Formulation: Store at -20°C (regular) and -80°C (long term). Avoid freeze / thaw cycles. Buffer: PBS with

0.02% sodium azide, 50% glycerol, pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 47 kDa

Gene Name: TAP binding protein (tapasin)

Database Link: NP 757345

Entrez Gene 21356 MouseEntrez Gene 6892 Human

015533



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

This gene encodes a transmembrane glycoprotein which mediates interaction between newly assembled major histocompatibility complex (MHC) class I molecules and the transporter associated with antigen processing (TAP), which is required for the transport of antigenic peptides across the endoplasmic reticulum membrane. This interaction is essential for optimal peptide loading on the MHC class I molecule. Up to four complexes of MHC class I and this protein may be bound to a single TAP molecule. This protein contains a C-terminal double-lysine motif (KKKAE) known to maintain membrane proteins in the endoplasmic reticulum. This gene lies within the major histocompatibility complex on chromosome 6. Alternative splicing results in three transcript variants encoding different isoforms.

Synonyms: NGS17; TAPA; TPN; TPSN


Protein Families: Druggable Genome, Transmembrane
Protein Pathways: Antigen processing and presentation

Product images:



Western blot analysis of extracts of various cell lines, using TAPBP antibody.





Immunofluorescence analysis of HeLa cell using TAPBP antibody. Blue: DAPI for nuclear staining.