

# **Product datasheet for TA332479**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Constitutive androstane receptor (NR1I3) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** ICC/IF, WB

Recommended Dilution: WB 1:500 - 1:2000;IF 1:50- 1:200

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant protein of human NR1I3

Formulation: Store at -20°C (regular) and -80°C (long term). Avoid freeze / thaw cycles. Buffer: PBS with

0.02% sodium azide, 50% glycerol, pH7.3.

**Concentration:** lot specific

**Purification:** Affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 352

**Gene Name:** nuclear receptor subfamily 1 group I member 3

Database Link: NP 005113

Entrez Gene 12355 MouseEntrez Gene 65035 RatEntrez Gene 9970 Human

Q14994






#### Background:

This gene encodes a member of the nuclear receptor superfamily, and is a key regulator of xenobiotic and endobiotic metabolism. The protein binds to DNA as a monomer or a heterodimer with the retinoid X receptor and regulates the transcription of target genes involved in drug metabolism and bilirubin clearance, such as cytochrome P450 family members. Unlike most nuclear receptors, this transcriptional regulator is constitutively active in the absence of ligand but is regulated by both agonists and inverse agonists. Ligand binding results in translocation of this protein to the nucleus, where it activates or represses target gene transcription. These ligands include bilirubin, a variety of foreign compounds, steroid hormones, and prescription drugs. Multiple transcript variants encoding different isoforms have been found for this gene


**Synonyms:** CAR; CAR1; MB67

**Protein Families:** Druggable Genome, Nuclear Hormone Receptor, Transcription Factors

# **Product images:**



Western blot analysis of extracts of various cell lines, using NR1I3 antibody.



Immunofluorescence analysis of U2OS cell using NR1I3 antibody. Blue: DAPI for nuclear staining,