

Product datasheet for TA332890

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Thymine DNA glycosylase (TDG) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WE

Reactivity: WB 1:500 - 1:2000 Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Recombinant protein of human TDG

Formulation: Store at -20°C (regular) and -80°C (long term). Avoid freeze / thaw cycles. Buffer: PBS with

0.02% sodium azide, 50% glycerol, pH7.3.

Concentration: lot specific

Purification: Affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 46 kDa

Gene Name: thymine DNA glycosylase

Database Link: NP 003202

Entrez Gene 21665 MouseEntrez Gene 114521 RatEntrez Gene 6996 Human

Q13569

Background: The protein encoded by this gene belongs to the TDG/mug DNA glycosylase family. Thymine-

DNA glycosylase (TDG) removes thymine moieties from G/T mismatches by hydrolyzing the carbon-nitrogen bond between the sugar-phosphate backbone of DNA and the mispaired

thymine. With lower activity, this enzyme also removes thymine from C/T and T/T $\,$

mispairings. TDG can also remove uracil and 5-bromouracil from mispairings with guanine. This enzyme plays a central role in cellular defense against genetic mutation caused by the

spontaneous deamination of 5-methylcytosine and cytosine. This gene may have a

pseudogene in the p arm of chromosome 12.






Synonyms: hTDG

Protein Families: Druggable Genome
Protein Pathways: Base excision repair

Product images:



Western blot analysis of extracts of various cell lines, using TDG antibody.