

Product datasheet for TA333824

COG4 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: The immunogen for Anti-COG4 Antibody: synthetic peptide directed towards the middle

region of human COG4. Synthetic peptide located within the following region:

TSLVAVELEKVVLKSTFNRLGGLQFDKELRSLIAYLTTVTTWTIRDKFAR

Formulation: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2%

sucrose.

Note that this product is shipped as lyophilized powder to China customers.

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 89 kDa

Gene Name: component of oligomeric golgi complex 4

Database Link: NP 056201

Entrez Gene 102339 MouseEntrez Gene 25839 Human

Q9H9E3



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

Multiprotein complexes are key determinants of Golgi apparatus structure and its capacity for intracellular transport and glycoprotein modification. Several complexes have been identified, including the Golgi transport complex (GTC), the LDLC complex, which is involved in glycosylation reactions, and the SEC34 complex, which is involved in vesicular transport. These 3 complexes are identical and have been termed the conserved oligomeric Golgi (COG) complex, which includes COG4.Multiprotein complexes are key determinants of Golgi apparatus structure and its capacity for intracellular transport and glycoprotein modification. Several complexes have been identified, including the Golgi transport complex (GTC), the LDLC complex, which is involved in glycosylation reactions, and the SEC34 complex, which is involved in vesicular transport. These 3 complexes are identical and have been termed the conserved oligomeric Golgi (COG) complex, which includes COG4 (Ungar et al., 2002 [PubMed 11980916]). [supplied by OMIM]. PRIMARYREFSEQ_SPAN PRIMARY_IDENTIFIER PRIMARY_SPAN COMP 1-265 AK096557.1 1-265 266-555 BP282697.1 230-519 556-1072 AU125729.1 34-550 1073-2838 AL050101.1 375-2140


Synonyms:

CDG2|; COD1


Note:

Immunogen sequence homology: Dog: 100%; Pig: 100%; Rat: 100%; Horse: 100%; Human: 100%; Mouse: 100%; Bovine: 100%; Rabbit: 100%; Zebrafish: 100%; Guinea pig: 100%

Product images:



WB Suggested Anti-COG4 Antibody Titration: 0.2-1 ug/ml; ELISA Titer: 1: 1562500; Positive Control: Hela cell lysate



Sample Type: 1. Human Cervical Cancer Cell Lysate (15 ug); 2. Monkey Fibroblast Cell Lysate (15 ug); 3. Human Cervical Cancer Cell transfected with GFP-COG4 (15ug); Primary Dilution: 1: 1000; Secondary Antibody: goat anti-Rabbit; Secondary Dilution: 1: 40