

## Product datasheet for **TA334748**

### PTGER3 Rabbit Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	WB
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	The immunogen for anti-PTGER3 antibody: synthetic peptide directed towards the middle region of human PTGER3. Synthetic peptide located within the following region: STVIDPSRFCAQPFRWFLDLSFPAMSSSHPQLPLTLASFKLLREPCSVQL
Formulation:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose. <i>Note that this product is shipped as lyophilized powder to China customers.</i>
Purification:	Affinity Purified
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	47 kDa
Gene Name:	prostaglandin E receptor 3
Database Link:	<a href="#">NP_000948</a> <a href="#">Entrez Gene 5733 Human P43115</a>



[View online »](#)

**Background:**

PTGER3 is the receptor for prostaglandin E2 (PGE2); the EP3 receptor may be involved in inhibition of gastric acid secretion, modulation of neurotransmitter release in central and peripheral neurons, inhibition of sodium and water reabsorption in kidney tubulus and contraction in uterine smooth muscle. The activity of this receptor can couple to both the inhibition of adenylate cyclase mediated by G-I proteins, and to an elevation of intracellular calcium. The various isoforms have identical ligand binding properties but can interact with different second messenger systems. The protein encoded by this gene is a member of the G-protein coupled receptor family. This protein is one of four receptors identified for prostaglandin E2 (PGE2). This receptor may have many biological functions, which involve digestion, nervous system, kidney reabsorption, and uterine contraction activities. Studies of the mouse counterpart suggest that this receptor may also mediate adrenocorticotrophic hormone response as well as fever generation in response to exogenous and endogenous stimuli. Multiple alternatively spliced transcript variants encoding eight distinct isoforms have been reported.

**Synonyms:**

EP3; EP3-I; EP3-II; EP3-III; EP3-IV; EP3e; MGC27302; MGC141828; MGC141829

**Note:**


Immunogen Sequence Homology: Human: 100%

**Protein Families:**

Druggable Genome, GPCR, Transcription Factors, Transmembrane

**Protein Pathways:**

Calcium signaling pathway, Neuroactive ligand-receptor interaction

**Product images:**

WB Suggested Anti-PTGER3 Antibody Titration: 0.2-1 ug/ml; ELISA Titer: 1:12500; Positive Control: COLO205 cell lysate. There is BioGPS gene expression data showing that PTGER3 is expressed in COLO205.