

## **Product datasheet for TA335049**

## **SRP1 (KPNA1) Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: WB

Recommended Dilution: WB

Reactivity: Human, Mouse

**Host:** Rabbit

**Isotype:** IgG

Clonality: Polyclonal

**Immunogen:** The immunogen for anti-KPNA1 antibody: synthetic peptide directed towards the N terminal

of human KPNA1. Synthetic peptide located within the following region: TTPGKENFRLKSYKNKSLNPDEMRRRREEEGLQLRKQKREEQLFKRRNVA

Formulation: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2%

sucrose.

Note that this product is shipped as lyophilized powder to China customers.

Purification: Affinity Purified
Conjugation: Unconjugated

----**j..g**.....

Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 60 kDa

**Gene Name:** karyopherin subunit alpha 1

Database Link: NP 002255

Entrez Gene 16646 MouseEntrez Gene 3836 Human

P52294



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

Recombination activating proteins RAG1 and RAG2 regulate and mediate V(D)J recombination, the process by which genes for immunoglobulins and T-cell receptors are generated. Several other ubiquitously expressed proteins are thought to be recruited in the recombination process. Among these are the genes affected in severe combined immune deficiency and genes involved in ds-DNA break repair. KPNA1 interacts with RAG1 and may play a role in V(D)J recombination. Recombination activating proteins RAG1 and RAG2 regulate and mediate V(D)J recombination, the process by which genes for immunoglobulins and T-cell receptors are generated. Several other ubiquitously expressed proteins are thought to be recruited in the recombination process. Among these are the genes affected in severe combined immune deficiency and genes involved in ds-DNA break repair. The protein encoded by this gene interacts with RAG1 and may play a role in V(D)J recombination. Publication Note: This RefSeq record includes a subset of the publications that are available for this gene. Please see the Entrez Gene record to access additional publications.


Synonyms: IPOA5; NPI-1; RCH2; SRP1

**Note:** Immunogen Sequence Homology: Dog: 100%; Pig: 100%; Rat: 100%; Horse: 100%; Human:

100%; Mouse: 100%; Bovine: 100%; Rabbit: 100%; Guinea pig: 100%; Zebrafish: 93%


## **Product images:**

## KPNA1



Host: Rabbit; Target Name: KPNA1; Sample Tissue: Human Fetal Heart; Antibody Dilution: 1.0 ug/ml





WB Suggested Anti-KPNA1 Antibody Titration: 0.2-1 ug/ml; ELISA Titer: 1: 62500; Positive Control: 721\_B cell lysateKPNA1 is strongly supported by BioGPS gene expression data to be expressed in Human 721\_B cells