

# **Product datasheet for TA335866**

#### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Non Neuronal Enolase (ENO1) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB **Recommended Dilution:** WB, IHC

Reactivity: Human, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: The immunogen for Anti-ENO1 Antibody: synthetic peptide directed towards the C terminal of

human ENO1. Synthetic peptide located within the following region: VVGLCTGQIKTGAPCRSERLAKYNQLLRIEEELGSKAKFAGRNFRNPLAK

Formulation: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2%

sucrose.

Note that this product is shipped as lyophilized powder to China customers.

Purification: Protein A purified
Conjugation: Unconjugated

**Store** at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 47 kDa

Gene Name: enolase 1

Database Link: NP 001419

Entrez Gene 24333 RatEntrez Gene 2023 Human

P06733



#### Non Neuronal Enolase (ENO1) Rabbit Polyclonal Antibody - TA335866

**Background:** ENO1 is one of three enolase isoenzymes found in mammals; it encodes alpha-enolase, a

homodimeric soluble enzyme, and also encodes a shorter monomeric structural lens protein, tau-crystallin. The two proteins are made from the same message. The full length protein, the isoenzyme, is found in the cytoplasm. The shorter protein is produced from an alternative translation start, is localized to the nucleus, and has been found to bind to an element in the c-myc promoter. A pseudogene has been identified that is located on the other arm of the

same chromosome.

Synonyms: ENO1L1; MPB1; NNE; PPH

**Note:** Immunogen Sequence Homology: Pig: 100%; Rat: 100%; Horse: 100%; Human: 100%; Rabbit:


100%; Guinea pig: 100%; Dog: 93%; Mouse: 93%; Sheep: 93%; Bovine: 93%; Yeast: 79%;

Zebrafish: 79%

**Protein Families:** Druggable Genome, Transcription Factors

**Protein Pathways:** Glycolysis / Gluconeogenesis, Metabolic pathways, RNA degradation


### **Product images:**



WB Suggested Anti-ENO1 Antibody Titration: 1.25 ug/ml; ELISA Titer: 1:62500; Positive Control: Jurkat cell lysate. ENO1 is strongly supported by BioGPS gene expression data to be expressed in

Human Jurkat cells





Rabbit Anti-ENO1 Antibody; Paraffin Embedded Tissue: Human alveolar cell; Cellular Data: Epithelial cells of renal tubule; Antibody Concentration: 4.0-8.0 ug/ml; Magnification: 400X