

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TA336001

## **DPP6 Rabbit Polyclonal Antibody**

## **Product data:**

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	WB
Reactivity:	Human, Mouse
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	The immunogen for Anti-DPP6 Antibody: synthetic peptide directed towards the middle region of human DPP6. Synthetic peptide located within the following region: FLIIHPTADEKIHFQHTAELITQLIRGKANYSLQIYPDESHYFTSSSLKQ
Formulation:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose. Note that this product is shipped as lyophilized powder to China customers.
Purification:	Affinity Purified
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	91 kDa
Gene Name:	dipeptidyl peptidase like 6
Database Link:	<u>NP_001034439</u> <u>Entrez Gene 13483 MouseEntrez Gene 1804 Human</u> <u>P42658</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### **GRIGENE** DPP6 Rabbit Polyclonal Antibody – TA336001


**Background:** DPP6 is a single-pass type II membrane protein that is a member of the S9B family in clan SC of the serine proteases. This protein has no detectable protease activity, most likely due to the absence of the conserved serine residue normally present in the catalytic domain of serine proteases. However, it does bind specific voltage-gated potassium channels and alters their expression and biophysical properties. This gene encodes a single-pass type II membrane protein that is a member of the S9B family in clan SC of the serine proteases. This protein has no detectable protease activity, most likely due to the absence of the conserved serine residue normally present in the catalytic domain of serine proteases. This protein has no detectable protease activity, most likely due to the absence of the conserved serine residue normally present in the catalytic domain of serine proteases. However, it does bind specific voltage-gated potassium channels and alters their expression and biophysical properties. Alternate transcriptional splice variants, encoding different isoforms, have been characterized.

 Synonyms:
 DPL1; DPPX; MRD33; VF2

 Note:
 Immunogen Sequence Homology: Dog: 100%; Pig: 100%; Rat: 100%; Horse: 100%; Human: 100%; Mouse: 100%; Bovine: 100%; Rabbit: 100%; Guinea pig: 93%; Zebrafish: 86%


Protein Families: Druggable Genome, Protease, Transmembrane

#### **Product images:**



WB Suggested Anti-DPP6 Antibody Titration: 0.2-1 ug/ml; ELISA Titer: 1: 312500; Positive Control: Human Muscle

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Lanes: Lane 1: 20ug mouse WT brain extract; Lnae 2: DPP6 -/- mouse brain extract; Lane 3: 20ug mouse WT brain extract; 4: DPP6 -/- mouse brain extract; Primary Antibody Dilution: 1: 1000; Secondary Antibody: Donkey anti-rabbit-HRP; Secondary Antibody Dilution: 1: 10, 000; Gene Name: DPP6 a; Submitted by: Jeanne M. Nerbonne, Arvin Soepriatna, Washington University Medical School Department of Developmental Biology;

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US