

Product datasheet for TA337764

FBXO36 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB

Reactivity: Human

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: The immunogen for anti-FBXO36 antibody: synthetic peptide directed towards the N terminal

of human FBXO36. Synthetic peptide located within the following region:

QVIFRWWKISLRSEYRSTKPGEAKETHEDFLENSHLQGQTALIFGARILD

Formulation: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2%

sucrose.

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 22 kDa

Gene Name: F-box protein 36

Database Link: NP 777559

Entrez Gene 130888 Human

Q8NEA4



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:

Members of the F-box protein family, such as FBXO36, are characterized by an approximately 40-amino acid F-box motif. SCF complexes, formed by SKP1 (MIM 601434), cullin (see CUL1; MIM 603134), and F-box proteins, act as protein-ubiquitin ligases. F-box proteins interact with SKP1 through the F box, and they interact with ubiquitination targets through other protein interaction domains. Members of the F-box protein family, such as FBXO36, are characterized by an approximately 40-amino acid F-box motif. SCF complexes, formed by SKP1 (MIM 601434), cullin (see CUL1; MIM 603134), and F-box proteins, act as protein-ubiquitin ligases. F-box proteins interact with SKP1 through the F box, and they interact with ubiquitination targets through other protein interaction domains (Jin et al., 2004 [PubMed 15520277]). [supplied by OMIM]


Synonyms: Fbx36

Note: Immunogen Sequence Homology: Human: 100%; Pig: 92%; Rabbit: 92%; Rat: 85%; Horse: 85%;

Mouse: 85%; Bovine: 85%; Dog: 77%; Guinea pig: 77%

Protein Families: Druggable Genome

Product images:



WB Suggested Anti-FBXO36 Antibody Titration: 0.2-1 ug/ml; Positive Control: Human Liver