

Product datasheet for **TA338001**

Retinoid X Receptor beta (RXRB) Rabbit Polyclonal Antibody

Product data:

| | |
|-------------------------|--|
| Product Type: | Primary Antibodies |
| Applications: | WB |
| Recommended Dilution: | WB |
| Reactivity: | Human |
| Host: | Rabbit |
| Isotype: | IgG |
| Clonality: | Polyclonal |
| Immunogen: | The immunogen for anti-RXRB antibody: synthetic peptide directed towards the N terminal of human RXRB. Synthetic peptide located within the following region: MHCGVASRWRRRRPWLDPAAAAAA VAGGEQQTPEPEPGEAGRDMGDSG |
| Formulation: | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose. <i>Note that this product is shipped as lyophilized powder to China customers.</i> |
| Purification: | Affinity Purified |
| Conjugation: | Unconjugated |
| Storage: | Store at -20°C as received. |
| Stability: | Stable for 12 months from date of receipt. |
| Predicted Protein Size: | 57 kDa |
| Gene Name: | retinoid X receptor beta |
| Database Link: | NP_068811 Entrez Gene 6257 Human P28702 |




[View online »](#)

| | |
|--------------------------|---|
| Background: | This gene encodes a member of the retinoid X receptor (RXR) family of nuclear receptors which are involved in mediating the effects of retinoic acid (RA). The encoded protein forms homodimers with the retinoic acid, thyroid hormone, and vitamin D receptors, increasing both DNA binding and transcriptional function on their respective response elements. This gene lies within the major histocompatibility complex (MHC) class II region on chromosome 6. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Jul 2012] |
| Synonyms: | DAUDI6; H-2RIIBP; NR2B2; RCoR-1 |
| Note: | Immunogen Sequence Homology: Human: 100%; Dog: 93%; Horse: 93%; Rabbit: 93%; Pig: 87%; Guinea pig: 87%; Rat: 86%; Bovine: 86%; Mouse: 79% |
| Protein Families: | Druggable Genome, Nuclear Hormone Receptor, Transcription Factors |
| Protein Pathways: | Adipocytokine signaling pathway, Non-small cell lung cancer, Pathways in cancer, PPAR signaling pathway, Small cell lung cancer, Thyroid cancer |

Product images:


WB Suggested Anti-RXRB Antibody Titration: 0.2-1 ug/ml; Positive Control: Human brain

RXRB



Host: Rabbit; Target Name: RXRB; Sample Tissue: Human Adult Placenta; Antibody Dilution: 1.0 µg/ml

RXRB



Host: Rabbit; Target Name: RXRB; Sample Tissue: Human Fetal Muscle; Antibody Dilution: 1.0 µg/ml