

Product datasheet for TA338706

KCNK13 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB
Recommended Dilution: WB, IHC, IF
Reactivity: Human, Dog

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: The immunogen for anti-KCNK13 antibody: synthetic peptide directed towards the C terminal

of human KCNK13. Synthetic peptide located within the following region: GEMISMKDLLAANKASLAILQKQLSEMANGCPHQTSTLARDNEFSGGVGA

Formulation: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2%

sucrose.

Note that this product is shipped as lyophilized powder to China customers.

Concentration: lot specific

Purification: Protein A purified

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 45 kDa

Gene Name: potassium two pore domain channel subfamily K member 13

Database Link: NP 071337

Entrez Gene 490829 DogEntrez Gene 56659 Human

Q9HB14



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


Potassium channels represent the most complex class of voltage-gated ion channels from both functional and structural standpoints. Their diverse functions include regulating neurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smooth muscle contraction, and cell volume. This gene encodes a potassium channel containing two pore-forming domains. This protein is an open channel that can be stimulated by arachidonic acid and inhibited by the anesthetic halothane. [provided by RefSeq, Jul 2013]

Synonyms: K2p13.1; THIK-1; THIK1


Note: Immunogen Sequence Homology: Human: 100%; Pig: 79%; Rat: 79%; Horse: 79%

Protein Families: Druggable Genome, Ion Channels: Potassium, Transmembrane

Product images:




WB Suggested Anti-KCNK13 Antibody Titration: 0.12 ug/ml; ELISA Titer: 1:1562500; Positive Control: Jurkat cell lysate



Host: Rabbit; Target Name: KCNK13; Sample Tissue: 721_B; Antibody Dilution: 1.0 ug/ml KCNK13 is supported by BioGPS gene expression data to be expressed in 721 B





Rabbit Anti-Q9HB14 Antibody; Paraffin Embedded Tissue: Human Brain; Cellular Data: Neural Cells; Antibody Concentration: 4.0-8.0 ug/ml; Magnification: 400X - See more at: http://www.avivasysbio.com/anti-kcnk13-antibody-c-terminal-region-arp35347-p050.htm