

## Product datasheet for **TA339365**

### MAK10 (NAA35) Rabbit Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	WB
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	The immunogen for anti-MAK10 antibody: synthetic peptide directed towards the N terminal of human MAK10. Synthetic peptide located within the following region: TYGFKMANSVTDLRVTGMLKDVEDDMQRRVKSTRSRQGEERDPEVELEHQ
Formulation:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose. <i>Note that this product is shipped as lyophilized powder to China customers.</i>
Concentration:	lot specific
Purification:	Protein A purified
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	84 kDa
Gene Name:	N(alpha)-acetyltransferase 35, NatC auxiliary subunit
Database Link:	<a href="#">NP_078911</a> <a href="#">Entrez Gene 60560 Human</a> <a href="#">Q5VZE5</a>
Background:	MAK10 regulates proliferation of smooth muscle cells. MAK10 is the component of the N-terminal acetyltransferase C (NatC) complex which may catalyze acetylation of N-terminal methionine residues.
Synonyms:	bA379P1.1; EGAP; MAK10; MAK10P



[View online »](#)

**Note:** Immunogen Sequence Homology: Dog: 100%; Pig: 100%; Rat: 100%; Horse: 100%; Human: 100%; Mouse: 100%; Bovine: 100%; Rabbit: 100%; Zebrafish: 86%

### Product images:



WB Suggested Anti-MAK10 Antibody Titration:  
0.2-1 ug/ml; ELISA Titer: 1: 62500; Positive  
Control: OVCAR-3 cell lysate. NAA35 is supported  
by BioGPS gene expression data to be expressed  
in OVCAR3