

Product datasheet for **TA340943**


Frizzled 8 (FZD8) Rabbit Polyclonal Antibody

Product data:


| | |
|-----------------------|---|
| Product Type: | Primary Antibodies |
| Applications: | IHC |
| Recommended Dilution: | IHC-P (8 - 20 µg/ml) |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Immunogen: | FZD8 / Frizzled 8 antibody was raised against synthetic 16 amino acid peptide from 3rd extracellular domain of human FZD8 / Frizzled 8. Percent identity with other species by BLAST analysis: Human, Marmoset, Mouse, Rat, Elephant, Panda, Bovine, Dog, Rabbit, Opossum (100%); Lizard (94%); Monkey (81%). |
| Formulation: | PBS, 0.1% sodium azide. |
| Concentration: | lot specific |
| Purification: | Immunoaffinity purified |
| Conjugation: | Unconjugated |
| Storage: | Store at -20°C as received. |
| Stability: | Stable for 12 months from date of receipt. |
| Gene Name: | frizzled class receptor 8 |
| Database Link: | NP_114072 Entrez Gene 8325 Human Q9H461 |
| Synonyms: | FZ-8; hFZ8 |
| Protein Families: | Druggable Genome, Transmembrane |
| Protein Pathways: | Basal cell carcinoma, Colorectal cancer, Melanogenesis, Pathways in cancer, Wnt signaling pathway |



[View online »](#)

Product images:

Anti-FZD8 / Frizzled 8 antibody IHC of human brain, cerebellum, Purkinje neurons. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 8-20 ug/ml.



Anti-FZD8 / Frizzled 8 antibody IHC of human fetal kidney. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 8-20 ug/ml.