

Product datasheet for **TA343596**

DPF2 Rabbit Polyclonal Antibody

Product data:


| | |
|-------------------------|---|
| Product Type: | Primary Antibodies |
| Applications: | WB |
| Recommended Dilution: | WB |
| Reactivity: | Human |
| Host: | Rabbit |
| Isotype: | IgG |
| Clonality: | Polyclonal |
| Immunogen: | The immunogen for anti-DPF2 antibody: synthetic peptide directed towards the N terminal of human DPF2. Synthetic peptide located within the following region: MAAVENVVKLLGGEQYYKDAMEQCHNYNARLCAERSVRLPFLDSQTGVAQ |
| Formulation: | Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose. <i>Note that this product is shipped as lyophilized powder to China customers.</i> |
| Purification: | Protein A purified |
| Conjugation: | Unconjugated |
| Storage: | Store at -20°C as received. |
| Stability: | Stable for 12 months from date of receipt. |
| Predicted Protein Size: | 44 kDa |
| Gene Name: | double PHD fingers 2 |
| Database Link: | NP_006259 Entrez Gene 5977 Human Q92785 |
| Background: | DPF2 is a member of the d4 domain family, characterized by a zinc finger-like structural motif. DPF2 functions as a transcription factor which is necessary for the apoptotic response following deprivation of survival factors. It likely serves a regulatory |
| Synonyms: | REQ; ubi-d4; UBID4 |
| Note: | Immunogen Sequence Homology: Dog: 100%; Pig: 100%; Rat: 100%; Goat: 100%; Horse: 100%; Human: 100%; Mouse: 100%; Bovine: 100%; Rabbit: 100%; Guinea pig: 100%; Zebrafish: 86% |



[View online »](#)

Protein Families: Druggable Genome, Transcription Factors

Product images:



WB Suggested Anti-DPF2 Antibody Titration:
0.3125 ug/ml; ELISA Titer: 1: 1562500; Positive
Control: Jurkat cell lysate; DPF2 is supported by
BioGPS gene expression data to be expressed in
Jurkat