

Product datasheet for TA345322

KDM6A Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB

Reactivity: Human

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: The immunogen for anti-UTX antibody: synthetic peptide directed towards the N terminal of

human UTX. Synthetic peptide located within the following region: MKSCGVSLATAAAAAAAFGDEEKKMAAGKASGESEEASPSLTAEEREALG

Formulation: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2%

sucrose.

Note that this product is shipped as lyophilized powder to China customers.

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 154 kDa

Gene Name: lysine demethylase 6A

Database Link: NP 066963

Entrez Gene 7403 Human

O15550

Background: UTX is a histone demethylase that specifically demethylates 'Lys-27' of histone H3, thereby

playing a central role in histone code. It demethylates trimethylated and dimethylated but not monomethylated H3 'Lys-27'. UTX plays a central role in regulation of posterior development, by regulating HOX gene expression. Demethylation of 'Lys-27' of histone H3 is concomitent with methylation of 'Lys-4' of histone H3, and regulates the recruitment of the PRC1 complex

and monoubiquitination of histone H2A.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms: bA386N14.2; KABUK2; UTX

Immunogen Sequence Homology: Dog: 100%; Pig: 100%; Rat: 100%; Human: 100%; Mouse: Note:

100%; Zebrafish: 100%; Bovine: 93%

Product images:



WB Suggested Anti-UTX Antibody Titration: 0.2-1 ug/ml; ELISA Titer: 1: 1562500; Positive Control: Hela cell lysate