

Product datasheet for TA345620

ZSCAN2 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB

Reactivity: Human

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: The immunogen for anti-ZSCAN2 antibody: synthetic peptide directed towards the N terminal

of human ZSCAN2. Synthetic peptide located within the following region: TTMILEDDSWVQEAVLQEDGPESEPFPQSAGKGGPQEEVTRGPQGALGRL

Formulation: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2%

sucrose.

Note that this product is shipped as lyophilized powder to China customers.

Purification: Affinity Purified
Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 67 kDa

Gene Name: zinc finger and SCAN domain containing 2

Database Link: NP 870992

Entrez Gene 54993 Human

Q7Z7L9



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

ZSCAN2 Rabbit Polyclonal Antibody - TA345620

Background: ZSCAN2 contains several copies of zinc finger motif, which is commonly found in

transcriptional regulatory proteins. Studies in mice show that ZSCAN2 is expressed during embryonic development, and specifically in the testis in adult mice, suggesting that it may play a role in regulating genes in germ cells. The protein encoded by this gene contains several copies of zinc finger motif, which is commonly found in transcriptional regulatory proteins. Studies in mice show that this gene is expressed during embryonic development, and specifically in the testis in adult mice, suggesting that it may play a role in regulating genes in germ cells. Alternative splicing of this gene results in several transcript variants encoding different isoforms. The protein encoded by this gene contains several copies of zinc finger motif, which is commonly found in transcriptional regulatory proteins. Studies in mice show that this gene is expressed during embryonic development, and specifically in the testis in adult mice, suggesting that it may play a role in regulating genes in germ cells. Alternative splicing of this gene results in several transcript variants encoding different isoforms.


Synonyms: ZFP29; ZNF854

Note: Immunogen Sequence Homology: Dog: 100%; Rat: 100%; Human: 100%; Mouse: 100%; Pig:

86%; Bovine: 86%

Protein Families: Transcription Factors

Product images:



WB Suggested Anti-ZSCAN2 Antibody Titration: 0.2-1 ug/ml; Positive Control: Jurkat cell lysate