

## Product datasheet for **TA346237**

### PON3 Rabbit Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB, IHC
Reactivity:	Human
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	The immunogen for anti-PON3 antibody: synthetic peptide directed towards the middle region of human PON3. Synthetic peptide located within the following region: PMKLLNYPEDPPGSEVLRIQNVLSEKPRVSTVYANNGSVLQGTSVASVY
Formulation:	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Purification:	Affinity Purified
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	39 kDa
Gene Name:	paraoxonase 3
Database Link:	<a href="#">NP_000931</a> <a href="#">Entrez Gene 5446 Human</a> <a href="#">Q15166</a>
Background:	This gene is a member of the paraoxonase family and lies in a cluster on chromosome 7 with the other two family members. The encoded protein is secreted into the bloodstream and associates with high-density lipoprotein (HDL). The protein also rapidly hydrolyzes lactones and can inhibit the oxidation of low-density lipoprotein (LDL), a function that is believed to slow the initiation and progression of atherosclerosis. Alternatively spliced variants which encode different protein isoforms have been described; however, only one has been fully characterized.



[View online »](#)


**Synonyms:** lactonase 3; paraoxanase-3; paraoxonase 3; serum paraoxonase

**Note:** Immunogen Sequence Homology: Dog: 100%; Rat: 100%; Human: 100%; Mouse: 100%; Rabbit: 100%; Pig: 93%; Horse: 93%; Bovine: 85%


**Protein Families:** Secreted Protein, Transmembrane

**Protein Pathways:** Metabolic pathways

### Product images:



WB Suggested Anti-PON3 Antibody Titration: 0.2-1 ug/ml; ELISA Titer: 1: 312500; Positive Control: NCI-H226 cell lysate



Immunohistochemistry with Liver tissue at an antibody concentration of 5 ug/ml using anti-PON3 antibody