

Product datasheet for TA346362

PPAP2A (PLPP1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB

Reactivity: Human

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: The immunogen for anti-PPAP2A antibody: synthetic peptide directed towards the N terminal

of human PPAP2A. Synthetic peptide located within the following region:

QRGVFCNDESIKYPYKEDTIPYALLGGIIIPFSIIVIILGETLSVYCNLL

Formulation: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2%

sucrose.

Note that this product is shipped as lyophilized powder to China customers.

Purification: Affinity Purified

Conjugation: Unconjugated

Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 32 kDa

Gene Name: phospholipid phosphatase 1

Database Link: NP 003702

Entrez Gene 8611 Human

O14494

Background: PPAP2A is a member of the phosphatidic acid phosphatase (PAP) family. PAPs convert

phosphatidic acid to diacylglycerol, and function in de novo synthesis of glycerolipids as well as in receptor-activated signal transduction mediated by phospholipase D. This protein is an integral membrane glycoprotein, and has been shown to be a surface enzyme that plays an active role in the hydrolysis and uptake of lipids from extracellular space. The expression of PPAP2A is found to be regulated by androgen in a prostatic adenocarcinoma cell line.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



PPAP2A (PLPP1) Rabbit Polyclonal Antibody - TA346362

Synonyms: LLP1a; LPP1; PAP-2a; PAP2; PPAP2A

Note: Immunogen Sequence Homology: Dog: 100%; Pig: 100%; Horse: 100%; Human: 100%; Mouse:


100%; Guinea pig: 100%; Rat: 93%; Bovine: 93%; Rabbit: 93%; Zebrafish: 77%

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Ether lipid metabolism, Fc gamma R-mediated phagocytosis, Glycerolipid metabolism,

Glycerophospholipid metabolism, Metabolic pathways, Sphingolipid metabolism

Product images:



WB Suggested Anti-PPAP2A Antibody Titration: 0.2-1 ug/ml; ELISA Titer: 1: 312500; Positive

Control: HepG2 cell lysate