

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TA346961

Histone H2A.X (H2AFX) Mouse Monoclonal Antibody [Clone ID: 8H4-1H11-F8]

Product data:

Product Type:	Primary Antibodies
Clone Name:	8H4-1H11-F8
Applications:	IF, WB
Recommended Dilution:	WB: 1:2000, IF: 1:400
Reactivity:	Mouse
Host:	Mouse
lsotype:	lgG1
Clonality:	Monoclonal
Immunogen:	The immunogen for H2AX(Pi-Ser139) antibody: Synthetic phosphopeptide corresponding to residues surrounding Ser139 of human H2A.X.
Formulation:	Purified mouse monoclonal antibody in PBS(pH 7.4) containing with 0.03% Proclin300 and 50% glycerol.
Purification:	Affinity purified
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Gene Name:	H2A histone family member X
Database Link:	<u>NP_002096</u> <u>Entrez Gene 15270 Mouse</u> <u>P16104</u>
Background:	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene encodes a member of the histone H2A family, and generates two transcripts through the use of the conserved stem-loop termination motif, and the polyA addition motif.




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Histone H2A.X (H2AFX) Mouse Monoclonal Antibody [Clone ID: 8H4-1H11-F8] – TA346961
Synonyms:	H2A; H2A.X; H2AX; X
Protein Families:	Druggable Genome


Protein Pathways:Systemic lupus erythematosus


Product images:



Western blot detection of Phosphorylation of H2A.X at Serine 139 in 3T3 or Hydroxyureatreated 3T3 cell lysates using Phospho-Histone H2A.X (Ser139) mouse mAb (1:2000 diluted).Predicted band size:15KDa.Observed band size:15KDa.







Immunofluorescent analysis of Phosphorylation of H2A.X at Serine 139 in 3T3 or Hydroxyureatreated 3T3 cells using Phospho-Histone H2A.X (Ser139) mouse mAb (1:400).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US