

## **Product datasheet for TA347812**

## **H4-16 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: WB

**Reactivity:** WB: 1:500-1:2000 Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** The immunogen for anti-Histone H4 Antibody: A synthesized peptide derived from human

Histone H4

Formulation: Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50%

glycerol. Store at -20?. Stable for 12 months from date of receipt

**Concentration:** lot specific

**Purification:** Immunogen affinity purified

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 11 kDa

**Gene Name:** histone cluster 4, H4

Database Link: NP 778224

Entrez Gene 320332 MouseEntrez Gene 680097 RatEntrez Gene 121504 Human

P62805



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a member of the histone H4 family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6.

**Synonyms:** H4; p

Note: Histone H4 Antibody detects endogenous levels of Histone H4

**Protein Pathways:** Systemic lupus erythematosus

## **Product images:**



Western blot analysis on COS7 cell lysate using Histone H4 Antibody