

## Product datasheet for TA348911

# p38 (MAPK14) Rabbit Polyclonal Antibody

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: WB

Reactivity: WB: 1:500-1:2000

Human, Mouse, Rat

Modifications: Phospho-specific

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: The immunogen for anti-Phospho-p38 MAPK (Thr180/Tyr182) Antibody: A synthesized

peptide derived from human p38 MAPK around the phosphorylation site of Thr180/Tyr182).

Formulation: Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50%

glycerol. Store at -20?. Stable for 12 months from date of receipt

**Concentration:** lot specific

**Conjugation:** Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 43 kDa

**Gene Name:** mitogen-activated protein kinase 14

Database Link: NP 001306

Entrez Gene 26416 MouseEntrez Gene 81649 RatEntrez Gene 1432 Human

Q16539

**Background:** The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as

an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and

development. This kinase is activated by various environmental stresses and

proinflammatory cytokines.

Synonyms: CSBP; CSBP1; CSBP2; CSPB1; EXIP; Mxi2; p38; p38ALPHA; PRKM14; PRKM15; RK; SAPK2A



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



### p38 (MAPK14) Rabbit Polyclonal Antibody - TA348911

Note: Phospho-p38 MAPK (Thr180/Tyr182)Antibody detects endogenous levels of p38 MAPK only

when phosphorylated at Thr180 and Tyr182.

**Protein Families:** Druggable Genome, Protein Kinase

**Protein Pathways:** Amyotrophic lateral sclerosis (ALS), Epithelial cell signaling in Helicobacter pylori infection, Fc

epsilon RI signaling pathway, GnRH signaling pathway, Leukocyte transendothelial migration, MAPK signaling pathway, Neurotrophin signaling pathway, NOD-like receptor signaling pathway, Progesterone-mediated oocyte maturation, RIG-I-like receptor signaling pathway, T

cell receptor signaling pathway, Toll-like receptor signaling pathway, VEGF signaling pathway

# **Product images:**



Western blot analysis of p38 MAPK phosphorylation expression in Jurkat whole cell lysates.