

## **Product datasheet for TA349332**

### **GRB2** Rabbit Polyclonal Antibody

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 10-50

Positive control: Human esophagus cancer Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Full length fusion protein

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: growth factor receptor bound protein 2

Database Link: NP 002077

Entrez Gene 14784 MouseEntrez Gene 81504 RatEntrez Gene 2885 Human

P62993

**Background:** The protein encoded by this gene binds the epidermal growth factor receptor and contains

one SH2 domain and two SH3 domains. Its two SH3 domains direct complex formation with proline-rich regions of other proteins, and its SH2 domain binds tyrosine phosphorylated sequences. This gene is similar to the Sem5 gene of C.elegans, which is involved in the signal

transduction pathway. Two alternatively spliced transcript variants encoding different

isoforms have been found for this gene.

Synonyms: ASH; EGFRBP-GRB2; Grb3-3; MST084; MSTP084; NCKAP2

**Protein Families:** Druggable Genome



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




#### **Protein Pathways:**

Acute myeloid leukemia, B cell receptor signaling pathway, Chemokine signaling pathway, Chronic myeloid leukemia, Colorectal cancer, Dorso-ventral axis formation, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Focal adhesion, Gap junction, Glioma, GnRH signaling pathway, Insulin signaling pathway, Jak-STAT signaling pathway, MAPK signaling pathway, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pathways in cancer, Prostate cancer, Renal cell carcinoma, T cell receptor signaling pathway

# **Product images:**




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA349332 (GRB2 Antibody) at dilution 1/25 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA349332 (GRB2 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA349332 (GRB2 Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA349332 (GRB2 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)