

Product datasheet for TA349386S

MAD2L1 binding protein (MAD2L1BP) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: A549, 231, PC3 and hela cells

IHC: 50-200

Positive control: Human cervical cancer Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human MAD2L1BP

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 31 kDa

Gene Name: MAD2L1 binding protein

Database Link: NP 001003690

Entrez Gene 9587 Human

Q15013

Background: The protein encoded by this gene was identified as a binding protein of the MAD2 mitotic

arrest deficient-like 1 (MAD2/MAD2L1). MAD2 is a key component of the spindle checkpoint that delays the onset of anaphase until all the kinetochores are attached to the spindle. This protein may interact with the spindle checkpoint and coordinate cell cycle events in late mitosis. Alternatively spliced transcript variants encoding distinct isoforms have been

observed.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms: CMT2

Protein Families: Druggable Genome

Product images:





Gel: 10%SDS-PAGE Lysate: 40 µg Lane 1-4: A549 cells 231 cells PC3 cells hela cells

Primary antibody: [TA349386] (MAD2L1BP

Antibody) at dilution 1/675


Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution


Exposure time: 20 seconds

Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA349386] (MAD2L1BP Antibody) at dilution 1/65 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA349386] (MAD2L1BP Antibody) at dilution 1/65, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA349386] (MAD2L1BP Antibody) at dilution 1/65 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA349386] (MAD2L1BP Antibody) at dilution 1/65, treated with fusion protein. (Original magnification: ×200)