

Product datasheet for TA349399

MMP12 Rabbit Polyclonal Antibody

Product data:

Host:

Product Type: Primary Antibodies Applications: IHC, WB Recommended Dilution: WB: 200-1000 WB positive control: 293T cell lysate IHC: 50-200 Positive control: Human thyroid cancer Predicted cell location: Cytoplasm **Reactivity:** Human Rabbit Isotype: lgG **Clonality:** Polyclonal Immunogen: Fusion protein of human MMP12 pH7.4 PBS, 0.05% NaN3, 40% Glyceroln Formulation: Concentration: lot specific **Purification:** Antigen affinity purification **Conjugation:** Unconjugated Storage: Store at -20°C as received. Stability: Stable for 12 months from date of receipt. Gene Name: matrix metallopeptidase 12

Database Link: NP 002417 Entrez Gene 4321 Human

P39900




9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	MMP12 Rabbit Polyclonal Antibody – TA349399
Background:	Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis. Most MMP's are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. It is thought that the protein encoded by this gene is cleaved at both ends to yield the active enzyme, but this processing has not been fully described. The enzyme degrades soluble and insoluble elastin.
Synonyms:	HME; ME; MME; MMP-12
Protein Families	: Druggable Genome, Protease

Product images:




Gel: 6%SDS-PAGE Lysate: 40 µg Lane: 293T cell lysate Primary antibody: TA349399 (MMP12 Antibody) at dilution 1/250 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 90 seconds



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA349399 (MMP12 Antibody) at dilution 1/60 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA349399 (MMP12 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA349399 (MMP12 Antibody) at dilution 1/60 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA349399 (MMP12 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US