

## **Product datasheet for TA349402**

## Myeloperoxidase (MPO) Rabbit Polyclonal Antibody

## **Product data:**

**Product Type: Primary Antibodies** 

IHC **Applications:** 

Recommended Dilution: IHC: 50-200

> Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: lgG

Clonality: Polyclonal

Immunogen: Fusion protein of human MPO

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Concentration: lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

Store at -20°C as received. Storage:

Stable for 12 months from date of receipt. Stability:

Gene Name: myeloperoxidase

Database Link: NP 000241

Entrez Gene 17523 MouseEntrez Gene 4353 Human


P05164

Background: Myeloperoxidase (MPO) is a heme protein synthesized during myeloid differentiation that

> constitutes the major component of neutrophil azurophilic granules. Produced as a single chain precursor, myeloperoxidase is subsequently cleaved into a light and heavy chain. The mature myeloperoxidase is a tetramer composed of 2 light chains and 2 heavy chains. This

enzyme produces hypohalous acids central to the microbicidal activity of netrophils.

Synonyms: Myeloperoxidase **Protein Families:** 



Druggable Genome




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA349402 (MPO Antibody) at dilution 1/50 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA349402 (MPO Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA349402 (MPO Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA349402 (MPO Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)