

### **Product datasheet for TA349467S**

# AMPK gamma 1 (PRKAG1) Rabbit Polyclonal Antibody

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: WB

Recommended Dilution: WB: 200-1000

WB positive control: Human fetal liver tissue

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human PRKAG1

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Purification:** Antigen affinity purification

**Conjugation:** Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

**Predicted Protein Size:** 38 kDa

**Gene Name:** protein kinase AMP-activated non-catalytic subunit gamma 1

Database Link: NP 002724

Entrez Gene 19082 MouseEntrez Gene 25520 RatEntrez Gene 5571 Human

P54619

**Background:** The protein encoded by this gene is a regulatory subunit of the AMP-activated protein kinase

(AMPK). AMPK is a heterotrimer consisting of an alpha catalytic subunit, and non-catalytic beta and gamma subunits. AMPK is an important energy-sensing enzyme that monitors cellular energy status. In response to cellular metabolic stresses, AMPK is activated, and thus phosphorylates and inactivates acetyl-CoA carboxylase (ACC) and beta-hydroxy beta-

methylglutaryl-CoA reductase (HMGCR), key enzymes involved in regulating de novo biosynthesis of fatty acid and cholesterol. This subunit is one of the gamma regulatory subunits of AMPK. Alternatively spliced transcript variants encoding distinct isoforms have

been observed.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### AMPK gamma 1 (PRKAG1) Rabbit Polyclonal Antibody - TA349467S

Synonyms: AMPKG

**Protein Families:** Druggable Genome

Protein Pathways: Adipocytokine signaling pathway, Hypertrophic cardiomyopathy (HCM), Insulin signaling

pathway

## **Product images:**



Gel: 8%SDS-PAGE Lysate: 60 μg

Lane: Human fetal liver tissue

Primary antibody: [TA349467] (PRKAG1 Antibody)

at dilution 1/500

Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution

Exposure time: 5 minutes