

Product datasheet for TA349600

GMFG Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse heart and human fetal brain tissue

IHC: 50-200

Positive control: Human cervical cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: lgG

Clonality: Polyclonal

Immunogen: Fusion protein of human GMFG

pH7.4 PBS, 0.05% NaN3, 40% Glyceroln Formulation:

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stable for 12 months from date of receipt. Stability:

Predicted Protein Size: 17 kDa

Gene Name: glia maturation factor gamma

Database Link: NP 004868

Entrez Gene 63986 MouseEntrez Gene 113940 RatEntrez Gene 9535 Human

060234



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


Glia maturation factor, gamma, also known as GMFG, is a 142 amino acid protein that belongs to the GMF subfamily of the larger actin-binding protein ADF family. GMF-gamma is expressed predominantly in lung, heart and placenta. GMF-gamma is considered a candidate regulatory growth factor protein, mediating both paracrine and autocrine cell-cell interactions. GMF-gamma is phosphorylated at N-terminal serine, and its phosphorylation is enhanced by coexpression of dominant active Rac 1 and Cdc42. GMF-gamma expression is significantly increased in a cardiac ischemia/reperfusion model where inflammation and angiogenesis take place actively. As a regulator of actin-based cellular functions, GMF-gamma may provide a novel approach to modulate the pathophysiology of cardiovascular diseases. GMF-gamma is primarily found in proliferative and differentiative organs.

GMF-GAMMA Synonyms:

Product images:







Gel: 10%SDS-PAGE Lysate: 40 µg

Lane 1-2: Mouse heart tissue human fetal brain tissue

Primary antibody: TA349600 (GMFG Antibody) at

dilution 1/1142


Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution


Exposure time: 10 seconds

Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA349600 (GMFG Antibody) at dilution 1/50 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA349600 (GMFG Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA349600 (GMFG Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA349600 (GMFG Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)