

Product datasheet for TA349656S

DRAK2 (STK17B) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human STK17B

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: serine/threonine kinase 17b

Database Link: NP 004217

Entrez Gene 98267 MouseEntrez Gene 170904 RatEntrez Gene 9262 Human

<u>094768</u>

Background: The full-length STK17B cDNA clone encodes a deduced 372-amino acid protein with a

molecular mass of 42.34 kD. The putative kinase domain is located at the N terminus and contains all 11 subdomains conserved among ser/thr kinases. STK17A and STK17B share 59.7% amino acid identity. Northern blot analysis revealed that STK17B was expressed in various tissues, such as heart, placenta, liver, and pancreas, as different-sized transcripts, presumably due to differences in the 3-prime untranslated region. Transient transfection of COS-7 cells showed that STK17B localized in nuclei. Phosphorylates myosin light chains. Acts

as a positive regulator of apoptosis.

Synonyms: DRAK2



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Protein Families: Druggable Genome, Protein Kinase

Product images:




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA349656] (STK17B Antibody) at dilution 1/40 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA349656] (STK17B Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA349656] (STK17B Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA349656] (STK17B Antibody) at dilution 1/40, treated with fusion protein. (Original magnification: ×200)