

Product datasheet for TA349693S

ATP citrate lyase (ACLY) Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	WB: 500-2000 WB positive control: A172 and PC3 cells
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human ACLY
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glyceroln
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	121 kDa
Gene Name:	ATP citrate lyase
Database Link:	<u>NP_942127</u> <u>Entrez Gene 24159 RatEntrez Gene 104112 MouseEntrez Gene 47 Human</u> <u>P53396</u>
Background:	ATP citrate lyase is the primary enzyme responsible for the synthesis of cytosolic acetyl-CoA in many tissues. The enzyme is a tetramer (relative molecular weight approximately 440,000) of apparently identical subunits. It catalyzes the formation of acetyl-CoA and oxaloacetate from citrate and CoA with a concomitant hydrolysis of ATP to ADP and phosphate. The product, acetyl-CoA, serves several important biosynthetic pathways, including lipogenesis and cholesterogenesis. In nervous tissue, ATP citrate-lyase may be involved in the biosynthesis of acetylcholine. Two transcript variants encoding distinct isoforms have been identified for this gene.
Synonyms:	ACL; ATPCL; CLATP



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

ORIGENE ATP citrate lyase (ACLY) Rabbit Polyclonal Antibody – TA349693S	
Protein Families:	Druggable Genome
Protein Pathways:	Citrate cycle (TCA cycle), Metabolic pathways
Product image	5:
	Gel: 6%SDS-PAGE Lysate: 40 µg Lane 1-2: A172 cells PC3 cells N- Secondary antibody: [TA349693] (ACLY Antibody) at dilution 1/1050 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 30 seconds

36-

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US