

Product datasheet for **TA349697S**

Ataxin 1 (ATXN1) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Hela, HepG2, HT29 cell lysates IHC: 50-200 Positive control: Human esophagus cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human ATXN1
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	87 kDa
Gene Name:	ataxin 1
Database Link:	NP_000323 Entrez Gene 20238 MouseEntrez Gene 25049 RatEntrez Gene 6310 Human P54253




[View online »](#)

Background:


The autosomal dominant cerebellar ataxias (ADCA) are a heterogeneous group of neurodegenerative disorders characterized by progressive degeneration of the cerebellum, brain stem and spinal cord. Clinically, ADCA has been divided into three groups: ADCA types I-III. ADCA I is genetically heterogeneous, with five genetic loci, designated spinocerebellar ataxia (SCA) 1, 2, 3, 4 and 6, being assigned to five different chromosomes. ADCA II, which always presents with retinal degeneration (SCA7), and ADCA III often referred to as the 'pure' cerebellar syndrome (SCA5), are most likely homogeneous disorders. Several SCA genes have been cloned and shown to contain CAG repeats in their coding regions.

Synonyms:


ATX1; D6S504E; SCA1

Product images:



Gel: 8%SDS-PAGE
 Lysate: 40 µg
 Lane 1-3: HeLa
 HepG2
 HT29 cell lysates
 Primary antibody: [TA349697] (ATXN1 Antibody)
 at dilution 1/200
 Secondary antibody: Goat anti rabbit IgG at
 1/5000 dilution
 Exposure time: 15 seconds




Immunohistochemistry of paraffin-embedded
 Human esophagus cancer tissue using
 [TA349697] (ATXN1 Antibody) at dilution 1/50
 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA349697] (ATXN1 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA349697] (ATXN1 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA349697] (ATXN1 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)