

## **Product datasheet for TA349739**

## OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **Calnexin (CANX) Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela and 231 cells, human placenta and carcinoma of sigmoid tissue

IHC: 50-200

Positive control: Human colon cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human CANX

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 68 kDa

Gene Name: calnexin

Database Link: NP 001737

Entrez Gene 12330 MouseEntrez Gene 29144 RatEntrez Gene 821 Human

P27824






Background:

This gene encodes a member of the calnexin family of molecular chaperones. The encoded protein is a calcium-binding, endoplasmic reticulum (ER)-associated protein that interacts transiently with newly synthesized N-linked glycoproteins, facilitating protein folding and assembly. It may also play a central role in the quality control of protein folding by retaining incorrectly folded protein subunits within the ER for degradation. Alternatively spliced transcript variants encoding the same protein have been described.


Synonyms: CNX; IP90; P90

Protein Families: Druggable Genome, Transmembrane
Protein Pathways: Antigen processing and presentation

## **Product images:**




Gel: 8%SDS-PAGE
Lysate: 40 µg
Lane 1-4: Hela cells
231 cells
human placenta tissue
Human carcinoma of sigmoid tissue
Primary antibody: TA349739 (CANX Antibody) at
dilution 1/615
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA349739 (CANX Antibody) at dilution 1/50 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA349739 (CANX Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA349739 (CANX Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA349739 (CANX Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)