

Product datasheet for **TA349746**

CARD14 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 200-1000 WB positive control: NIH/3T3 and A172 cells IHC: 25-100 Positive control: Human thyroid cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human CARD14
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	113 kDa
Gene Name:	caspase recruitment domain family member 14
Database Link:	NP_438170 Entrez Gene 170720 Mouse Entrez Gene 79092 Human Q9BXL6



[View online »](#)

Background:


This gene encodes a caspase recruitment domain-containing protein that is a member of the membrane-associated guanylate kinase (MAGUK) family of proteins. Members of this protein family are scaffold proteins that are involved in a diverse array of cellular processes including cellular adhesion, signal transduction and cell polarity control. This protein has been shown to specifically interact with BCL10, a protein known to function as a positive regulator of cell apoptosis and NF-kappaB activation. Alternate splicing results in multiple transcript variants.

Synonyms:


BIMP2; CARMA2; PRP; PSORS2; PSS1

Protein Families:


Druggable Genome

Product images:

Gel: 6%SDS-PAGE
Lysate: 40 µg
Lane 1-2: NIH/3T3 cells
A172 cells
Primary antibody: TA349746 (CARD14 Antibody)
at dilution 1/800
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 10 minutes



Immunohistochemistry of paraffin-embedded
Human thyroid cancer tissue using TA349746
(CARD14 Antibody) at dilution 1/30 (Original
magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA349746 (CARD14 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)