

Product datasheet for TA349766S

CXCR4 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human CXCR4

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: C-X-C motif chemokine receptor 4

Database Link: NP 001008540

Entrez Gene 7852 Human

P61073

Background: This gene encodes a CXC chemokine receptor specific for stromal cell-derived factor-1. The

protein has 7 transmembrane regions and is located on the cell surface. It acts with the CD4 protein to support HIV entry into cells and is also highly expressed in breast cancer cells. Mutations in this gene have been associated with WHIM (warts, hypogammaglobulinemia, infections, and myelokathexis) syndrome. Alternate transcriptional splice variants, encoding

different isoforms, have been characterized.

Synonyms: CD184; D2S201E; FB22; HM89; HSY3RR; LAP-3; LAP3; LCR1; LESTR; NPYR; NPYR; NPYRL;

NPYY3R; WHIM

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, GPCR, Transmembrane



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Protein Pathways:

Axon guidance, Chemokine signaling pathway, Cytokine-cytokine receptor interaction, Endocytosis, Leukocyte transendothelial migration

Product images:




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA349766] (CXCR4 Antibody) at dilution 1/50 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA349766] (CXCR4 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA349766] (CXCR4 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA349766] (CXCR4 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)