

Product datasheet for TA349770

MD2 (LY96) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse liver tissue and 231 cells

IHC: 25-100

Positive control: Human thyroid cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human LY96

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 19 kDa

Gene Name: lymphocyte antigen 96

Database Link: NP 056179

Entrez Gene 17087 MouseEntrez Gene 23643 Human

Q9Y6Y9

Background: This gene encodes a protein which associates with toll-like receptor 4 on the cell surface and

confers responsiveness to lipopolysaccyaride (LPS), thus providing a link between the receptor and LPS signaling. Studies of the mouse ortholog suggest that this gene may be involved in endotoxin neutralization. Alternative splicing results in multiple transcript variants

encoding different isoforms.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms: ESOP-1; ly-96; MD-2; MD2

Protein Families: Secreted Protein

Protein Pathways: Pathogenic Escherichia coli infection, Toll-like receptor signaling pathway

Product images:



Gel: 10%SDS-PAGE Lysate: 40 μg

Lane 1-2: Mouse liver tissue

231 cells


Primary antibody: TA349770 (LY96 Antibody) at

dilution 1/500

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 1 minute




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA349770 (LY96 Antibody) at dilution 1/20 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA349770 (LY96 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA349770 (LY96 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using TA349770 (LY96 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)