

## **Product datasheet for TA349813**

## **CLUAP1 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse stomach and brain tissue

IHC: 100-300

Positive control: Human colon cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human CLUAP1

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 48 kDa

**Gene Name:** clusterin associated protein 1

Database Link: NP 079069

Entrez Gene 76779 MouseEntrez Gene 363544 RatEntrez Gene 23059 Human

Q96AJ1

**Background:** The protein encoded by this gene contains a single coiled-coil region. Alternative splicing

results in multiple transcript variants and protein isoforms.

Synonyms: CFAP22; FAP22; IFT38




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**









Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA349813 (CLUAP1 Antibody) at dilution 1/50 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA349813 (CLUAP1 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA349813 (CLUAP1 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA349813 (CLUAP1 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)