

Product datasheet for TA349822S

Carboxypeptidase A2 (CPA2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse pancreas tissue

IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human CPA2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 47 kDa

Gene Name: carboxypeptidase A2

Database Link: NP 001860

Entrez Gene 232680 MouseEntrez Gene 296959 RatEntrez Gene 1358 Human

P48052

Background: Three different forms of human pancreatic procarboxypeptidase A have been isolated. The

encoded protein represents the A2 form, which is a monomeric protein with different

biochemical properties from the A1 and A3 forms. The A2 form of pancreatic

procarboxypeptidase acts on aromatic C-terminal residues and is a secreted protein.

Synonyms: carboxypeptidase A2 (pancreatic)

Protein Families: Druggable Genome, Protease, Secreted Protein



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Mouse pancreas tissue


Primary antibody: [TA349822] (CPA2 Antibody) at

dilution 1/500

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA349822] (CPA2 Antibody) at dilution 1/20 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA349822] (CPA2 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA349822] (CPA2 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA349822] (CPA2 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)