

Product datasheet for TA349874

Dynamitin (DCTN2) Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 200-1000 WB positive control: 293T cells and mouse brain tissue IHC: 100-300 Positive control: Human liver cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human DCTN2
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glyceroln
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	44 kDa
Gene Name:	dynactin subunit 2
Database Link:	<u>NP_006391</u> <u>Entrez Gene 69654 MouseEntrez Gene 299850 RatEntrez Gene 10540 Human</u> <u>Q13561</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Dynamitin (DCTN2) Rabbit Polyclonal Antibody – TA349874
Background:	This gene encodes a 50-kD subunit of dynactin, a macromolecular complex consisting of 10- 11 subunits ranging in size from 22 to 150 kD. Dynactin binds to both microtubules and cytoplasmic dynein. It is involved in a diverse array of cellular functions, including ER-to-Golgi transport, the centripetal movement of lysosomes and endosomes, spindle formation, chromosome movement, nuclear positioning, and axonogenesis. This subunit is present in 4- 5 copies per dynactin molecule. It contains three short alpha-helical coiled-coil domains that may mediate association with self or other dynactin subunits.
Synonyms:	DCTN50; DYNAMITIN; HEL-S-77; RBP50
Protein Pathway	rs: Huntington's disease

Product images:




Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-2: 293T cells mouse brain tissue Primary antibody: TA349874 (DCTN2 Antibody) at dilution 1/200 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 30 seconds



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA349874 (DCTN2 Antibody) at dilution 1/50 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA349874 (DCTN2 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA349874 (DCTN2 Antibody) at dilution 1/50 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA349874 (DCTN2 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US