

# Product datasheet for TA349929

# **ELAC2** Rabbit Polyclonal Antibody

# **Product data:**

**Product Type: Primary Antibodies Applications:** IHC, WB Recommended Dilution: WB: 200-1000 WB positive control: LoVo and Hela cells IHC: 50-200 Positive control: Human gasrtic cancer Predicted cell location: Nucleus **Reactivity:** Human, Mouse, Rat Host: Rabbit Isotype: lgG **Clonality:** Polyclonal Immunogen: Fusion protein of human ELAC2 pH7.4 PBS, 0.05% NaN3, 40% Glyceroln Formulation: Concentration: lot specific **Purification:** Antigen affinity purification **Conjugation:** Unconjugated Storage: Store at -20°C as received. Stability: Stable for 12 months from date of receipt. Predicted Protein Size: 92 kDa Gene Name: elaC ribonuclease Z 2 Database Link: NP 060597 Entrez Gene 60528 Human Q9BQ52

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


## **ELAC2** Rabbit Polyclonal Antibody – TA349929

Background:The protein encoded by this gene has a C-terminal domain with tRNA 3' processing<br/>endoribonuclease activity, which catalyzes the removal of the 3' trailer from precursor tRNAs.<br/>The protein also interacts with activated Smad family member 2 (Smad2) and its nuclear<br/>partner forkhead box H1 (also known as FAST-1), and reduced expression can suppress<br/>transforming growth factor-beta induced growth arrest. Mutations in this gene result in an<br/>increased risk of prostate cancer. Multiple transcript variants encoding different isoforms<br/>have been found for this gene.


#### Synonyms: COXPD17; ELC2; HPC2

Protein Families: Druggable Genome, Stem cell - Pluripotency


### **Product images:**



Gel: 6%SDS-PAGE Lysate: 40 µg Lane 1-2: LoVo cells Hela cells Primary antibody: TA349929 (ELAC2 Antibody) at dilution 1/250 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using TA349929 (ELAC2 Antibody) at dilution 1/30 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using TA349929 (ELAC2 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA349929 (ELAC2 Antibody) at dilution 1/30 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA349929 (ELAC2 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US