

Product datasheet for TA349939

Estrogen Receptor beta (ESR2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse brain tissue

IHC: 50-200

Positive control: Human cervical cancer Predicted cell location: Nucleus or Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human ESR2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 59 kDa

Gene Name: estrogen receptor 2

Database Link: NP 001428

Entrez Gene 13983 MouseEntrez Gene 25149 RatEntrez Gene 2100 Human

Q92731



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

This gene encodes a member of the family of estrogen receptors and superfamily of nuclear receptor transcription factors. The gene product contains an N-terminal DNA binding domain and C-terminal ligand binding domain and is localized to the nucleus, cytoplasm, and mitochondria. Upon binding to 17beta-estradiol or related ligands, the encoded protein forms homo- or hetero-dimers that interact with specific DNA sequences to activate transcription. Some isoforms dominantly inhibit the activity of other estrogen receptor family members. Several alternatively spliced transcript variants of this gene have been described, but the full-length nature of some of these variants has not been fully characterized.

Synonyms: ER-BETA; Erb; ESR-BETA; ESRB; ESTRB; NR3A2

Protein Families: Druggable Genome, Nuclear Hormone Receptor, Transcription Factors

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Mouse brain tissue


Primary antibody: TA349939 (ESR2 Antibody) at

dilution 1/350

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA349939 (ESR2 Antibody) at dilution 1/30 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using TA349939 (ESR2 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA349939 (ESR2 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA349939 (ESR2 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)