

Product datasheet for TA349962S

FANCG Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human cervical cancer Predicted cell location: Nucleus or Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human FANCG

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: Fanconi anemia complementation group G

Database Link: NP 004620

Entrez Gene 2189 Human

<u>O15287</u>

Background: The Fanconi anemia complementation group (FANC) currently includes FANCA, FANCB,

FANCC, FANCD1 (also called BRCA2), FANCD2, FANCE, FANCF, FANCG, FANCI, FANCJ (also called BRIP1), FANCL, FANCM and FANCN (also called PALB2). The previously defined group FANCH is the same as FANCA. Fanconi anemia is a genetically heterogeneous recessive disorder characterized by cytogenetic instability, hypersensitivity to DNA crosslinking agents, increased chromosomal breakage, and defective DNA repair. The members of the Fanconi anemia complementation group do not share sequence similarity; they are related by their assembly into a common nuclear protein complex. This gene encodes the protein for

complementation group G.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms: FAG; XRCC9

Protein Families: Druggable Genome

Product images:




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA349962] (FANCG Antibody) at dilution 1/50 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA349962] (FANCG Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA349962] (FANCG Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using [TA349962] (FANCG Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)