

Product datasheet for TA349984

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

EU: info-de@origene.com
CN: techsupport@origene.cn

FHL1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human adrenal pheochromocytoma, fetal muscle and skeletal muscle

tissue IHC: 25-100

Positive control: Human colon cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human FHL1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 36 kDa

Gene Name: four and a half LIM domains 1

Database Link: NP 001440

Entrez Gene 14199 MouseEntrez Gene 25177 RatEntrez Gene 2273 Human

Q13642






Background:

This gene encodes a member of the four-and-a-half-LIM-only protein family. Family members contain two highly conserved, tandemly arranged, zinc finger domains with four highly conserved cysteines binding a zinc atom in each zinc finger. Expression of these family members occurs in a cell- and tissue-specific mode and these proteins are involved in many cellular processes. Mutations in this gene have been found in patients with Emery-Dreifuss muscular dystrophy. Multiple alternately spliced transcript variants which encode different protein isoforms have been described.

Synonyms:


FHL-1; FHL1A; FHL1B; FLH1A; KYOT; SLIM; SLIM-1; SLIM1; SLIMMER; XMPMA

Product images:




Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-3: Human adrenal pheochromocytoma tissue Human fetal muscle tissue Human skeletal muscle tissue Primary antibody: TA349984 (FHL1 Antibody) at dilution 1/500 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 5 seconds




Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA349984 (FHL1 Antibody) at dilution 1/20 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA349984 (FHL1 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA349984 (FHL1 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA349984 (FHL1 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)