

## **Product datasheet for TA350020S**

## **GLIPR1 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse small intestines tissue lysate

IHC: 100-300

Positive control: Human tonsil Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human GLIPR1

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 30 kDa

**Gene Name:** GLI pathogenesis related 1

Database Link: NP 006842

Entrez Gene 73690 MouseEntrez Gene 11010 Human

P48060



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

This gene encodes a protein with similarity to both the pathogenesis-related protein (PR) superfamily and the cysteine-rich secretory protein (CRISP) family. Increased expression of this gene is associated with myelomocytic differentiation in macrophage and decreased expression of this gene through gene methylation is associated with prostate cancer. The protein has proapoptotic activities in prostate and bladder cancer cells. This gene is a member of a cluster on chromosome 12 containing two other similar genes. Alternatively spliced variants which encode different protein isoforms have been described; however, not all variants have been fully characterized.

Synonyms: CRISP7; GLIPR; RTVP1

**Protein Families:** Transmembrane

## **Product images:**



Gel: 12%SDS-PAGE Lysate: 40 µg


Lane: Mouse small intestines tissue lysate Primary antibody: [TA350020] (GLIPR1 Antibody)

at dilution 1/800

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 10 minutes




Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA350020] (GLIPR1 Antibody) at dilution 1/110 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA350020] (GLIPR1 Antibody) at dilution 1/110, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350020] (GLIPR1 Antibody) at dilution 1/110 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350020] (GLIPR1 Antibody) at dilution 1/110, treated with fusion protein. (Original magnification: ×200)