

## **Product datasheet for TA350038S**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## glutathione S transferase Omega 1 (GSTO1) Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human liver cancer tissue

IHC: 100-300

Positive control: Human liver cancer

Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human GSTO1

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

**Purification:** Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.

Predicted Protein Size: 28 kDa

**Gene Name:** glutathione S-transferase omega 1

Database Link: NP 004823

Entrez Gene 9446 Human

P78417

**Background:** The protein encoded by this gene is an omega class glutathione S-transferase (GST) with

glutathione-dependent thiol transferase and dehydroascorbate reductase activities. GSTs are involved in the metabolism of xenobiotics and carcinogens. The encoded protein acts as a homodimer and is found in the cytoplasm. Three transcript variants encoding different

isoforms have been found for this gene.

Synonyms: GSTO 1-1; GSTTLp28; HEL-S-21; P28; SPG-R






**Protein Families:** Druggable Genome

**Protein Pathways:** Drug metabolism - cytochrome P450, Glutathione metabolism, Metabolism of xenobiotics by

cytochrome P450

## **Product images:**



Gel: 8%SDS-PAGE Lysate: 50 μg

Lane: Human liver cancer tissue


Primary antibody: [TA350038] (GSTO1 Antibody)

at dilution 1/200

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 20 seconds




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350038] (GSTO1 Antibody) at dilution 1/60 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA350038] (GSTO1 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA350038] (GSTO1 Antibody) at dilution 1/60 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA350038] (GSTO1 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)