

Product datasheet for TA350040S

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

GST3 (GSTP1) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human placenta tissue, HT-29 cells and human fetal brain tissue

IHC: 100-300

Positive control: Human thyroid cancer

Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human GSTP1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 23 kDa

Gene Name: glutathione S-transferase pi 1

Database Link: NP 000843

Entrez Gene 14870 MouseEntrez Gene 24426 RatEntrez Gene 2950 Human

P09211





Background: Glutathione S-transferases (GSTs) are a family of enzymes that play an important role in

detoxification by catalyzing the conjugation of many hydrophobic and electrophilic compounds with reduced glutathione. Based on their biochemical, immunologic, and structural properties, the soluble GSTs are categorized into 4 main classes: alpha, mu, pi, and theta. This GST family member is a polymorphic gene encoding active, functionally different GSTP1 variant proteins that are thought to function in xenobiotic metabolism and play a role

in susceptibility to cancer, and other diseases.


Synonyms: DFN7; FAEES3; GST3; GSTP; HEL-S-22; PI

Protein Families: Druggable Genome

Protein Pathways: Drug metabolism - cytochrome P450, Glutathione metabolism, Metabolism of xenobiotics by

cytochrome P450, Pathways in cancer, Prostate cancer

Product images:



Gel: 8%SDS-PAGE Lysate: 40 µg

Lane 1-3: Human placenta tissue

HT29 cells

human fetal brain tissue


Primary antibody: [TA350040] (GSTP1 Antibody)

at dilution 1/300

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350040] (GSTP1 Antibody) at dilution 1/60 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350040] (GSTP1 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA350040] (GSTP1 Antibody) at dilution 1/60 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using [TA350040] (GSTP1 Antibody) at dilution 1/60, treated with fusion protein. (Original magnification: ×200)