

Product datasheet for **TA350051S**

hnRNP G (RBMX) Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Hela and K562 cells IHC: 50-200 Positive control: Human thyroid cancer Predicted cell location: Nucleus
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human RBMX
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	42 kDa
Gene Name:	RNA binding motif protein, X-linked
Database Link:	NP_002130 Entrez Gene 19655 Mouse Entrez Gene 302855 Rat Entrez Gene 27316 Human P38159



[View online »](#)

Background:

This gene belongs to the RBMY gene family which includes candidate Y chromosome spermatogenesis genes. This gene, an active X chromosome homolog of the Y chromosome RBMY gene, is widely expressed whereas the RBMY gene evolved a male-specific function in spermatogenesis. Pseudogenes of this gene, found on chromosomes 1, 4, 9, 11, and 6, were likely derived by retrotransposition from the original gene. Alternatively spliced transcript variants encoding different isoforms have been identified. A snoRNA gene (SNORD61) is found in one of its introns.


Synonyms:

hnRNP-G; HNRNPG; HNRPG; MRXS11; RBMXP1; RBMXRT; RNMX


Protein Pathways:

Spliceosome


Product images:



Gel: 8%SDS-PAGE
 Lysate: 40 µg
 Lane 1-2: HeLa cells
 K562 cells
 Primary antibody: [TA350051] (RBMX Antibody) at dilution 1/800
 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution
 Exposure time: 5 seconds



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350051] (RBMX Antibody) at dilution 1/45 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA350051] (RBMX Antibody) at dilution 1/45, treated with fusion protein. (Original magnification: ×200)