

Product datasheet for TA350094S

INSIG2 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human esophagus cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human INSIG2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Gene Name: insulin induced gene 2

Database Link: NP 057217

Entrez Gene 72999 MouseEntrez Gene 288985 RatEntrez Gene 51141 Human

Q9Y5U4

Background: The protein encoded by this gene is highly similar to the protein product encoded by gene

INSIG1. Both INSIG1 protein and this protein are endoplasmic reticulum proteins that block the processing of sterol regulatory element binding proteins (SREBPs) by binding to SREBP cleavage-activating protein (SCAP), and thus prevent SCAP from escorting SREBPs to the

Golgi.

Synonyms: MGC26273

Protein Families: Transmembrane




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA350094] (INSIG2 Antibody) at dilution 1/30 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA350094] (INSIG2 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human brain tissue using [TA350094] (INSIG2 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA350094] (INSIG2 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)