

Product datasheet for TA350153

TAB3 Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 1000-5000 WB positive control: 293T, Raw264.7, NIH/3T3, K562 and Jurkat cells IHC: 50-200 Positive control: Human thyroid cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human TAB3
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glyceroln
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	79 kDa
Gene Name:	TGF-beta activated kinase 1/MAP3K7 binding protein 3
Database Link:	<u>NP_690000</u> <u>Entrez Gene 66724 MouseEntrez Gene 257397 Human</u> <u>Q8N5C8</u>




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	TAB3 Rabbit Polyclonal Antibody – TA350153
Background:	The product of this gene functions in the NF-kappaB signal transduction pathway. The encoded protein, and the similar and functionally redundant protein MAP3K7IP2/TAB2, forms a ternary complex with the protein kinase MAP3K7/TAK1 and either TRAF2 or TRAF6 in response to stimulation with the pro-inflammatory cytokines TNF or IL-1. Subsequent MAP3K7/TAK1 kinase activity triggers a signaling cascade leading to activation of the NF-kappaB transcription factor. The human genome contains a related pseudogene.
Synonyms:	MAP3K7IP3; NAP1
Protein Families:	Druggable Genome
Protein Pathway	s: NOD-like receptor signaling pathway

Product images:




Gel: 6%SDS-PAGE Lysate: 40 µg Lane 1-5: 293T cells Raw264.7 cells NIH/3T3 cells K562 cells Jurkat cells Primary antibody: TA350153 (TAB3 Antibody) at dilution 1/800 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 10 seconds



Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA350153 (TAB3 Antibody) at dilution 1/25. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human brain tissue using TA350153 (TAB3 Antibody) at dilution 1/25. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US