

Product datasheet for TA350178

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Mitochondrial ribosomal protein L11 (MRPL11) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Jurkat, K562, Incap, hepg2 and hela cells

IHC: 50-200

Positive control: Human lung cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human MRPL11

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glyceroln

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 21 kDa

Gene Name: mitochondrial ribosomal protein L11

Database Link: NP 733934

Entrez Gene 65003 Human

Q9Y3B7






Background:


Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology.


Synonyms:

CGI-113; L11MT; MRP-L11

Product images:







Gel: 10%SDS-PAGE Lysate: 40 µg Lane 1-5: Jurkat cells

K562 cells Incap cells hepg2 cells hela cells

Primary antibody: TA350178 (MRPL11 Antibody)

at dilution 1/300


Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution


Exposure time: 15 seconds

Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA350178 (MRPL11 Antibody) at dilution 1/20 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA350178 (MRPL11 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA350178 (MRPL11 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human colon cancer tissue using TA350178 (MRPL11 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)